



Asthma Policy

St Leonard's Primary School

Document Control	
Document Name:	Asthma Policy
Document Author:	Chris Taylor, Headteacher
Document Approval:	Board of Governors
Publication:	September 2026
Review:	Annually
Next review due by:	September 2027

'Providing good soil from which our FRUITS can grow' – based on Matthew, 13:8
Curious Minds. Kind Hearts. Big Dreams.

Policy statement

This policy has been written with advice from Asthma UK and the Department for Children, Schools and Families in addition to advice from healthcare and education professionals.

This school recognises that asthma and recurrent wheezing are important conditions affecting increasing numbers of school age children. This school welcomes pupils with asthma.

This school encourages all children to achieve their full potential in all aspects of life by having a clear policy and procedures that are understood by school staff, parents / carers and by pupils.

All staff who have contact with these children are given the opportunity to receive training from the school nursing team/specialist nurses. Updates for training are offered at regular intervals and this school will ensure attendance by staff.

This will take place at least every two years and more often if there are pupils within the school who have significant asthma symptoms or there are significant changes to the management of asthma in children.

Developing and implementing an asthma policy is essential for all schools.

Indemnity

School staff are not required to administer asthma medication to pupils except in an emergency. However many staff may be happy to give routine medication on the advice of an appropriate healthcare professional. School staff who agree to administer asthma medication are insured by relevant authorities when acting in agreement with this policy.

All school staff will allow pupils immediate access to their own asthma medication when they need it. (Please refer to the Medicines in School Policy)

What is Asthma?

Asthma is a common condition which affects the airways in the lungs. Symptoms occur in response to exposure to a trigger e.g. pollen, dust, smoke, exercise etc. These symptoms include cough, wheeze, chest tightness and breathlessness. Symptoms are usually easily reversible by use of a reliever inhaler but all staff must be aware that sufferers may experience an acute episode which will require rapid medical or hospital treatment.

Medication

Only reliever inhalers should be kept in school. Usually these are blue in colour. Immediate access to a reliever inhaler is vital.

Children aged 7 years and over who are considered sufficiently mature are encouraged to carry their own inhaler with them, at the discretion of the parent/carer and teacher. Otherwise the inhaler must be kept wherever the child is at any time e.g. class, hall, playground etc.

N.B. Inhalers must not be stored in the school office or similar as this will not allow quick enough access in an emergency.

As a guideline we would recommend that:

EYFS and KEY STAGE 1

Inhalers and spacers will be kept by the teacher in the corridor next to the classroom in a designated place, of which pupils will be made aware. Good practice indicates that a spare inhaler is kept in school for staff to use if the original runs out or is lost. EYFS are kept in a cupboard under the sinks within the EYFS unit.

KEY STAGE 2

Y3 and Y4 :Inhalers are kept in a central cupboard outside Year 4 Hall within easy access for all. Y5 : Inhalers are kept in the cupboards next to the sinks in the corridor outside the classrooms. Y6 : Inhalers are kept under the sinks in the corridor outside the Y6 classrooms.

Pupils in KS2 know where inhalers are kept and can access them when they need them.

Good practice indicates that a spare inhaler is kept in school for use if the original runs out or is lost Children, who are able to identify the need to use their medication, should be allowed to do so, as and when they feel it is necessary.

Record Keeping

When a child with asthma joins this school, parents/carers will be asked to complete a form, giving details of the condition and the treatment required. Information from this form will be used to compile an "Asthma Register" which is available for all school staff. This register will be updated at least annually or more frequently if required using the information supplied by the parent/carer.

Physical Education

Taking part in sports is an essential part of school life and important for health and well being and children with asthma are encouraged to participate fully.

Symptoms of asthma are often brought on by exercise and therefore, each child's labelled inhaler will be available at the site of the lesson.

Certain types of exercise are potent triggers for asthma e.g. cross country running and field activities. Any child who knows that an activity will induce symptoms will be encouraged to use their reliever inhaler prior to exercise, will carry it with them and will be encouraged to warm up prior to participating and cool down after.

Sports Day: all inhalers are taken onto the field for this event. A designated area is set up with a First Aider present.

School Trips/Residential Visits

No child will be denied the opportunity to take part in school trips/residential visits because of asthma, unless so advised by their GP or consultant.

The child's reliever inhaler will be readily available to them throughout the trip, being carried either by the child themselves or by the supervising adult in the case of Key Stage 1 children.

For residential visits, staff will be trained in the use of regular controller treatments, as well as emergency management. It is the responsibility of the parent/carer to provide written information about all asthma medication required by their child for the duration of the trip. Parents must be responsible for ensuring an adequate supply of medication is provided. Group leaders will have appropriate contact numbers with them.

Training

On at least a bi-annual basis, staff will receive training on signs and symptoms of asthma and how to treat it.

Asthma Education for pupils

It is recommended that all pupils should be educated about asthma. This could be through PSHE, drugs education, assemblies etc. Support for this may be available from your school nurse or the pediatric asthma specialist nurse.

Concerns

If a member of staff has concerns about the progress of a child with asthma, which they feel may be related to poor symptom control, they will be encouraged to discuss this with the parent/carer and/or school nurse.

Storage of Inhalers

The following good practice guidelines for the storage of inhalers will be followed:

1. Inhalers will NEVER be locked away or kept in the school office.
2. All children with asthma will have rapid access to their inhalers as soon as they need them
3. Devices will always be taken with the child when attending trips or activities off site.

N.B.

In the unlikely event of another pupil using someone else's blue inhaler there is little chance of harm. The drug in reliever inhalers is very safe and overdose is very unlikely.

Colds/Viruses

When a child has a cold it is sometimes necessary for him/her to have regular Ventolin for a few days. Therefore a parent/carer may ask you to administer the blue inhaler every lunchtime for approximately 1 week. The number of puffs will be advised by the parent/carer but may be anything between 2 and 10 puffs.

This does not replace using the inhaler as and when needed – it is in addition to this. Children should not be taking Ventolin every break/lunch time 'just in case' of symptoms.

(Please refer to Medicines in School Policy as it is essential that the Learning Mentor is informed as they manage this process)

Emergency Procedures

This is issued with this policy outlining the action to be taken in an emergency. Good practice suggests that copies are printed and displayed in the school office, staff room and relevant locations including classrooms where a pupil is known to have severe asthma.

In an emergency, where a child, who is a known asthmatic, is experiencing significant symptoms and has not got their own blue inhaler with them or it is found to be empty, it is acceptable to use the school's emergency inhaler and spacer. This emergency inhaler will be kept centrally, in a place where staff can access it with ease and will be used as per the asthma flow chart.

This should then be recorded in the child's records and parent/carer informed.

To obtain an emergency inhaler and spacer the school should write a letter to a local pharmacy, on headed notepaper requesting the purchase of a Ventolin/Salbutamol Metered Dose Inhaler and a Volumatic Spacer (with mask). This letter should be signed by the Headteacher.

Responsibilities

Parents/Carers have a responsibility to:

- Tell the school that their child has asthma.
- Ensure the school has complete and up to date information regarding their child's condition.
- Inform the school about the medicines their child requires during school hours.

- Inform the school of any medicines their child requires while taking part in visits, outings or field trips and other out of school activities.
- Inform the school of any changes to their child's medication.
- Inform the school if their child is or has been unwell which may affect the symptoms e.g. symptoms worsening or sleep disturbances due to symptoms.
- Ensure their child's inhaler (and spacer where relevant) is labelled with their child's name.
- Provide the school with a spare inhaler labelled with their child's name.
- Regularly check the inhalers kept in school to ensure there is an adequate amount of medicine available and that it is in date.

All school staff (teaching and non-teaching) have a responsibility to:

- Understand the school asthma policy.
- Know which pupils they come into contact with have asthma.
- Know what to do in an asthma attack.
- Allow pupils with asthma immediate access to their reliever inhaler.
- Inform parents/carers if a child has had an asthma attack.
- Inform parents if they become aware of a child using more reliever inhaler than usual.
- Ensure inhalers are taken on external trips/outings.
- Be aware that a child may be more tired due to night time symptoms.
- Liaise with parents/carers, school nurse, SENCO, etc. if a child is falling behind with their work because of asthma.

HOW TO RECOGNISE AN ASTHMA ATTACK

The signs of an asthma attack are

- Persistent cough (when at rest)
- A wheezing sound coming from the chest (when at rest)
- Difficulty breathing (the child could be breathing fast and with effort, using all accessory muscles in the upper body)
- Nasal flaring
- Unable to talk or complete sentences. Some children will go very quiet.
- May try to tell you that their chest 'feels tight' (younger children may express this as tummy ache)

CALL AN AMBULANCE IMMEDIATELY AND COMMENCE THE ASTHMA ATTACK PROCEDURE WITHOUT DELAY IF THE CHILD

- Appears exhausted
- Has a blue/white tinge around lips
- Is going blue
- Has collapsed

THE CHILD MUST STAY WITH AN ADULT AT ALL TIMES

WHAT TO DO IN THE EVENT OF AN ASTHMA ATTACK

- DO NOT LEAVE THE CHILD UNATTEND. They must be with an adult at all times.
- Keep calm and reassure the child
- Encourage the child to sit up and slightly forward
- Use the child's own inhaler – if not available, use the emergency inhaler
- Remain with the child while the inhaler and spacer are brought to them
- Immediately help the child to take two separate puffs of salbutamol via the spacer
- If there is no immediate improvement, continue to give two puffs at a time every two minutes, up to a maximum of 10 puffs
- Stay calm and reassure the child. Stay with the child until they feel better. The child can return to school activities when they feel better

If the child does not feel better or you are worried at ANYTIME before
you have reached 10 puffs,
CALL 999 FOR AN AMBULANCE

- If an ambulance does not arrive in 10 minutes give another 10 puffs in the same way

Executive summary (Guidance on the use of emergency salbutamol inhalers in schools)

From 1st October 2014 the Human Medicines (Amendment) (No. 2) Regulations 2014 will allow schools to buy salbutamol inhalers, without a prescription, for use in emergencies.

The emergency salbutamol inhaler should only be used by children, for whom written parental consent for use of the emergency inhaler has been given, who have either been diagnosed with asthma and prescribed an inhaler, or who have been prescribed an inhaler as reliever medication.

The inhaler can be used if the pupil's prescribed inhaler is not available (for example, because it is broken, or empty).

This change applies to all primary and secondary schools in the UK. Schools are not required to hold an inhaler – this is a discretionary power enabling schools to do this if they wish. Schools which choose to keep an emergency inhaler should establish a policy or protocol for the use of the emergency inhaler based on this guidance.

Keeping an inhaler for emergency use will have many benefits. It could prevent an unnecessary and traumatic trip to hospital for a child, and potentially save their life. Parents are likely to have greater peace of mind about sending their child to school. Having a protocol that sets out how and when the inhaler should be used will also protect staff by ensuring they know what to do in the event of a child having an asthma attack.

The protocol could be incorporated into a wider medical conditions policy which will be required by Supporting Pupils from 1st September 2014. The protocol should include the following – on which this guidance provides advice:

- arrangements for the supply, storage, care, and disposal of the inhaler and spacers in line with the schools policy on supporting pupils with medical conditions
- having a register of children in the school that have been diagnosed with asthma or prescribed a reliever inhaler, a copy of which should be kept with the emergency inhaler
- having written parental consent for use of the emergency inhaler included as part of a child's individual healthcare plan
- ensuring that the emergency inhaler is only used by children with asthma with written parental consent for its use
- appropriate support and training for staff in the use of the emergency inhaler in line with the schools wider policy on supporting pupils with medical conditions
- keeping a record of use of the emergency inhaler as required by Supporting pupils and informing parents or carers that their child has used the emergency inhaler
- having at least two volunteers responsible for ensuring the protocol is followed